



CURRENTLY AVAILABLE CATALOG OPTIONS	
CATALOG CODE	
EC25LL-CW-6mm-12	
EC25LL-CCW-6mm-12	
EC25LL-CW-1/4-12	
EC25LL-CCW-1/4-12	
EC25LL-CW-6mm-24	
EC25LL-CCW-6mm-24	
EC25LL-CW-1/4-24	
EC25LL-CCW-1/4-24	
EC25LL-CCW-6mm-12-LS	
EC25LL-CW-1/4-12-LS	
EC25LL-CCW-1/4-12-LS	
EC25LL-CW-6mm-24-LS	
EC25LL-CW-1/4-24-LS	
EC25LL-CCW-1/4-24-LS	



## CATALOG CODE EC25LL-XX-XXX-XX-X



 REELL PRECISION MANUFACTURING 1259 WILLOW LAKE BOULEVARD SAINT PAUL, MINNESOTA 55110-5103, USA	ECO NO: 04875	PART LIFECYCLE: RELEASED
	APPROVED BY: BOB WAHLSTEDT	DEVELOPMENT CYCLE: PRODUCTION
	APPROVED DATE: 25APR22	DESCRIPTION:
	PROJECT NO: 0	<b>SALES DRAWING</b>
ENGINEER: BOB WAHLSTEDT	DRAWN BY: BOB WAHLSTEDT	PART NO: EC25LL
THIS PRINT IS THE CONFIDENTIAL PROPERTY OF REELL PRECISION MFG.	THIRD ANGLE PROJECTION 	REV: H
INTERPRET PRINT PER ASME Y14.5M-2009	DIMENSIONS: mm	SCALE: 1:1 DO NOT SCALE DRAWING SHEET 1 OF 3

SPECIFICATIONS SUBJECT TO CHANGE




8 7 6 5 4 3 2 1

FLYING LEAD AND  
STEEL SHAFT OPTION:

NOTES:

- LEADS - [8 INCH] 200mm NO. 24 AWG STRANDED WIRE-CROSS LINKED POLYETHYLENE INSULATION [.011] 0.28 THICK. UL 3265 & CSA AWM APPROVED. RATED FOR 150 V & 125°C.



ALL DIMENSIONS REFERENCE  
SEE CAD MODEL FOR UNSPECIFIED FEATURES.

SPECIFICATIONS SUBJECT TO CHANGE

	ECO NO: 04875	PART LIFECYCLE: RELEASED		
	APPROVED BY: BOB WAHLSTEDT	DEVELOPMENT CYCLE: PRODUCTION		
	APPROVED DATE: 25APR22	DESCRIPTION:  <b>SALES DRAWING</b>		
	PROJECT NO: 0			
REELL PRECISION MANUFACTURING 1259 WILLOW LAKE BOULEVARD SAINT PAUL, MINNESOTA 55110-5103, USA	ENGINEER: BOB WAHLSTEDT	PART NO: <b>EC25LL</b>		
THIS PRINT IS THE CONFIDENTIAL PROPERTY OF REELL PRECISION MFG.	DRAWN BY: BOB WAHLSTEDT			REV: <b>H</b>
INTERPRET PRINT PER ASME Y14.5M-2009	THIRD ANGLE PROJECTION 	SCALE: 1:1	DO NOT SCALE DRAWING	SHEET 3 OF 3

8 7 6 5 4 3 2 1